

medisun[®] 2800 Innovation

INNOVATIVE UV THERAPY FOR DERMATOLOGY



The innovative
UV irradiation booth
for the optimized
treatment of UV-sensitive
skin diseases

Distributed in the UK by

medisun® 2800 Innovation

PROFESSIONAL WHOLEBODY THERAPY

The medisun® 2800 Innovation s the new technological standard for whole-body UV treatment. It is operated and controlled by an integrated touch PC with UV sensor measurement. UVA, UVB-311 or combined exposures can be performed. Equipping with UVA-1 spectrum is also possible.

The ergonomic arrangement of the 8 modules, each with 5 UV lamps, in conjunction with a newly developed lamp control, offers optimized dose accuracy compared to conventional UV booths. The new voice system guides the patient through the exposure process in a user-friendly manner.





Equipped with 200 cm long UV lamps, the medisun® 2800 Innovation eprovides homogeneous exposure from head to toe, even for very large patients.


HIGHLIGHTS

- 40 UV lamps in 8 columns
- 200 cm lamp length for improved homogeneity
- Mono or combination spectrum selectable (UVB-311, UVA, UVA-1)
- Integrated 10,4" Touch-PC control with dosepreselection in J/cm²
- Programmable dose limits
- Redundant real-time UV sensor technology (2-fold UVA – 2-fold UVB-311)
- Double wing door
- Exposure with open door possible (for claustrophobic patients)
- UV-impermeable viewing windows for patient monitoring
- Automatic stop of exposure when door is opened
- Start button and emergency stop switch in the passenger compartment
- Continuously adjustable patient ventilation with 2 fans
- LC display with indication of remaining Exposure time in the interior
- Sturdy metal housing (galvanized steel/aluminum) with Plastic powder coating

- Voice system voice output for patient information
- LED interior lighting
- Intelligent low-noise lamp cooling system 8 individually temperature controlled fans
- High gloss lamp reflectors
- Acrylic protective screens in front of the UV lamps
- 2 handles inside
- Metal platform for maximum stability
- 8 casters for easy movement of the cabin
- Integrated dust filter system
- Self-test diagnostic system
- Remote maintenance via Teamviewer possible
- Patient Safety System







EFFECTIVE TREATMENT OF PSORIASIS, UV-SENSITIVE SKIN DI-SEASES


INDICATIONS


Psoriasis

Atopic dermatosis

Vitiligo

- Polymorphic light dermatosis
- PUVA therapy (balneophototherapy)
- and other skin diseases







Optional: Medisoft with remote PC, remote control via network cable, e.g. from reception, automatic documentation of therapy in a patient database, printable therapy protocols, therapy plans



medisun[®] color-design

INDIVIDUAL COLOUR ACCENTS FOR YOUR PRACTICE

The medisun® 2800 Innovation can be ordered in your preferred color application to match your clinic or practice environment.



TECHNICAL DATA

	Description	Art-No.
medisun 2800 Innovation	UVA+UVB-311, 40×2 m lamps, 400 V, 3×16 A, 3PH+N+PE, 50 Hz	2201
medisun 2800 Innovation	UVA+UVB-311, 40×2 m lamps, 230 V, 1×32 A, 1 PH+N+PE, 50-60 Hz	2202
medisun 2800 Innovation	UVB-311, 40 x 2 m lamps, 400 V, 3 x 16 A, 3 PH+N+PE, 50 Hz	2203
medisun 2800 Innovation	UVB-311, 40 x 2 m lamps, 230 V, 1 x 32 A, 1 PH + N + PE, 50-60 Hz	2204
medisun 2800 Innovation	UVA, 40x2 m lamps, 400V, 3x16A, 3PH+N+PE, 50 Hz	2205
medisun 2800 Innovation	UVA, 40x 2m lamps, 230 V, 1 x 32 A, 1 PH + N + PE, 50-60 Hz	2206
medisun 2800 Innovation	UVA-1, 40 x 2 m lamps, 400 V, 3 x 16 A, 3 PH + N + PE, 50 Hz	2208
medisun 2800 Innovation	UVA-1, 40 x 2 m lamps, 230 V, 1 x 32 A, 1 PH + N + PE, 50-60 Hz	2212
POWER CONSUMPTION	Approx. 5.500 W	
INNER SIZE	Ø 94	
ENTRANCE WIDTH	Approx. 78 cm	
WEIGHT	Approx. 390 kg	
CLASSIFICATION	MDD classification IIa	
CERTIFICATION MARK	C€ 0197	

Changes reserved.

Distributed in the UK by



